

Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 1 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By)

: 希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.)

樣品名稱(Sample Name)

: X'TAL/OSC(GLASS TYPE)

樣品型號(Style/Item No.)

: (C)GX SERIES

收件日(Sample Receiving Date)

23-Dec-2024

測試期間(Testing Period)

: 23-Dec-2024 to 30-Dec-2024

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Malager
Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 141D39



Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 2 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

測試部位敘述 (Test Part Description)

No.1 : X'TAL/OSC(GLASS TYPE)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
鎘 (Cd) (Cadmium (Cd))	参考IEC 62321-5: 2013·以感應耦合電漿發射 光譜儀分析。(With reference to IEC 62321-5:	mg/kg	2	n.d.
鉛 (Pb) (Lead (Pb))	2013, analysis was performed by ICP-OES.)	mg/kg	2	39600
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013 + AMD1: 2017 · 以感應 耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013 + AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI))	參考IEC 62321-7-2: 2017·以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)	1	mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)	1	mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)	1	mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	参考IEC 62321-6: 2015 · 以氣相層析儀/質譜儀	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	分析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)	1	mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.



Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 3 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 62321-6: 2015 · 以氣相層析儀/質譜儀	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	分析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	ı	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.
phthalate (BBP))				
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.
phthalate (DBP))				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.
(2-ethylhexyl) phthalate (DEHP))				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.
phthalate (DIBP))	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017,			
郷苯二甲酸二異癸酯 (DIDP) (Diisodecyl	analysis was performed by GC/MS.)	mg/kg	50	n.d.
phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)				
,			F.0	
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0,		mg/kg	50	n.d.
68515-48-0)				
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.
phthalate (DNOP)) (CAS No.: 117-84-0)				



Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024

頁數(Page): 4 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
六溴環十二烷及所有主要被辨別出的異構物 (HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	155
氯 (CI) (Chlorine (CI)) (CAS No.: 22537-15- 1)	參考BS EN 14582: 2016·以離子層析儀分析。 (With reference to BS EN 14582: 2016,	mg/kg	50	n.d.
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32- 2)	analysis was performed by IC.)	mg/kg	50	n.d.
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串聯質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
全氟辛酸及其鹽類 (PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335-67-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串聯質 譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440- 41-7)	參考US EPA 3052: 1996 · 以感應耦合電漿發射 光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440- 36-0)	參考US EPA 3052: 1996 · 以感應耦合電漿發射 光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.



Test Report

 頁數(Page): 5 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)



Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 6 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
·	全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	56773-42-3
	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺酸四丁基銨 (PFOS-N(C_4H_9) $_4$) TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C_4H_9) $_4$)	111873-33-7
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0



Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 7 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion)	45298-90-6
	全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-N(C_2H_5) ₃) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C_2H_5) ₃)	54439-46-2
	N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲 銨(1:1) (PFOS-N(CH ₃) ₄) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(CH ₃) ₄)	56773-44-5
PFOS, 及其鹽&衍生物	1-五胺·N,N,N-三丙基-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1- 辛烷磺酸鹽(1:1) (PFOS-N(C ₃ H ₇) ₃ (C ₅ H ₁₁)) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₃ H ₇) ₃ (C ₅ H ₁₁))	56773-56-9
(PFOS, its salts & derivatives)	1-丁銨·N,N-二丁基-N-甲基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十 七氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃))	124472-68-0
	碘鎓・雙[4-(1,1-二甲基乙基)苯基]-・1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8 -十 七氟-1-辛烷磺酸鹽 (1:1) lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	二苯基绪(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟- 1- 辛烷磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	吡啶鎓 · 1-十六烷基- · 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛 烷磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4



Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 8 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	1-癸胺·N,N,N-三乙基-·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷 磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4
	全氟辛烷磺酸四丁基鏻 (PFOS-P(C_4H_9) ₄)) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C_4H_9) ₄))	2185049-59-4
PFOS, 及其鹽&衍生物	全氟辛烷磺酸二乙胺鹽 (PFOS- $C_4H_{11}N$) Perfluorooctanesulfonic acid diethylamine salt (PFOS- $C_4H_{11}N$)	2205029-08-7
(PFOS, its salts & derivatives)	庚基二甲基 $\{2-[(2-甲基丙-2-烯酰基)氧基]乙基\}$ 全氟辛烷磺酸氮紮鹽 (PFOS- $C_{15}H_{30}NO_2$) Heptyldimethyl $\{2-[(2-methylprop-2-enoyl)oxy]ethyl\}$ azanium perfluorooctanesulfonate (PFOS- $C_{15}H_{30}NO_2$)	1203998-97-3
	1-辛烷磺酸·1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1'-酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	全氟辛酸鉻 (PFOA-Cr(3*)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3*))	68141-02-6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 9 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
	全氟辛酸-哌嗪(2:1) PFOA-NH($C_4H_{10}N$) Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6
	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9
	乙銨·N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-丙銨·N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluorooctanoate (1:1)	277749-00-5
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	辛酸·2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽·水合物 (1:1:2) (PFOA-K(H ₂ O) ₂) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H ₂ O) ₂)	98065-31-7
	辛酸·2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-·化合物。與乙胺 (1:1) (PFOA-C ₂ H ₇ N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C ₂ H ₇ N)	1376936-03-6
	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA- C_5H_5N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- C_5H_5N)	95658-47-2
	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA- $C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA- $C_{10}H_{14}N_2$)	1514-68-7
	1-辛胺·N,N,N-三甲基-·2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸 (1:1) (PFOA- C ₁₁ H ₂₆ N) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C ₁₁ H ₂₆ N)	927835-01-6



Test Report


號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 10 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 11 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 12 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 13 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 14 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024 頁數(Page): 15 of 17

希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETA24C00374 日期(Date): 30-Dec-2024


希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 16 of 17




Test Report

頁數(Page): 17 of 17


希華晶體科技股份有限公司 (SIWARD CRYSTAL TECHNOLOGY CO., LTD.) 台中市潭子區中山路三段111巷1之1號 (NO. 1-1, LN. 111, SEC. 3, ZHONGSHAN RD., TANZI DIST., TAICHUNG CITY 427, TAIWAN (R. O. C.))

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETA24C00374



ETA24C00374



** 報告結尾 (End of Report) **